

Rodeo Flat, Camp Verde, Yavapai County, Arizona



© OpenStreetMap-Mitwirkende

Das seit den 1950er Jahren bekannte Fundgebiet bei Rodeo Flat liegt etwa 25 km südlich von Camp Verde und ist nur über eine schlechte, unbefestigte Straße zu erreichen. Der weitläufige Bereich bietet eine breite Palette an verschiedenen Achaten und Jaspisen. Von kleinen Mandelachatzen über Achate in Zwickelfüllungen bis zu sehr interessanten Pseudomorphosen von Chalcedon nach Aragonitkristallen und mitunter recht großen Gangachatzen reicht das Spektrum. Die vorherrschenden Farben sind Blau, Rot, Weiß, Gelb und Braun. Ausgezeichnete Funde gelangen vor einigen Jahren dem passionierten Sammler und Autor Pat McMahan. Prächtige Stufen mit dicksäuligen hellblauen bis gelben Pseudomorphosen und ein Gangmaterial, das wegen seiner plume- und moosartigen Einschlüsse mit dem Namen „Blumengartenachat“ bedacht wurde, sind davon besonders erwähnenswert. Da einzelne Teile des Fundgebietes unter Claim stehen, sind vor einem Besuch genauere Informationen einzuholen.


The Rodeo Flat agate area is located about 25 km south of Camp Verde and is accessible only via a bad dirt road. It has been well known among collectors since the 1950's. The expansive area offers a wide variety of agates and jaspers. The spectrum ranges from small nodular agates and agates in fissure fillings to very interesting chalcedony pseudomorphs after aragonite crystals and, at times, quite large vein agates. The predominant colors are blue, red, white, yellow, and brown. Several years ago, the passionate collector and author Pat McMahan made some excellent finds. Particularly noteworthy are magnificent specimens featuring thick-columnar light blue to yellow pseudomorphs and a vein material that has been dubbed "Arizona Flower Garden Agate" due to its plume- and moss-like inclusions. Since certain parts of the deposit are under claim, more detailed information should be obtained before visiting.



Das Fundgebiet bei Rodeo Flat / Rodeo Flat agate area. Johann Zenz photos.



Das Fundgebiet ist sehr weitläufig und wegen tiefer Gräben und stacheligem Bewuchs oft schwierig zu begehen. Johann Zenz photos. / The site covers a very large area and is often difficult to traverse due to deep ditches and thorny vegetation. Photos: Johann Zenz.



7 cm. Johann Zenz collection & photo.




Pseudomorphosen von Chalcedon nach Aragonitkristallen / Chalcedony pseudomorphs after aragonite crystals. 5-7 cm. Johann Zenz collection & photo.




Pseudomorphosen / Pseudomorphs. 6 cm. Johann Zenz collection & photo.



Pseudomorphosen / Pseudomorphs. 17 cm. Johann Zenz collection & photo.



Moosachat / Moss agate. 13 cm. Johann Zenz collection & photo.




**Moosachat mit Plumetexturen an der Basis / Moss agate with some plume textures at the base.
18 cm. Johann Zenz collection & photo.**



"Arizona Flower Garden". 15 cm. Johann Zenz collection & photo.



"Arizona Flower Garden". 6 cm. Pat McMahan collection & photo.




Plume- und Moosachat / Plume and moss agate. 7 cm. Pat McMahan collection & photo.



Plume. 8.3 cm. Pat McMahan collection & photo.



8.3 cm. Pat McMahan collection & photo.



7.1 cm. Pat McMahan collection & photo.




5.6 cm. Pat McMahan collection & photo.



7.5 cm. Pat McMahan collection & photo.



9 cm. Pat McMahan collection & photo.



9 cm. Pat McMahan collection & photo.



"Arizona Flower Garden". 6.3 cm. Pat McMahan collection & photo.

Literatur / Bibliography

McMahan, P. (1999): Sagenite and Plume. Rock & Gem 2/1999, Escondido. 80-84.

McMahan, P. (2016): Agates – The Pat McMahan Collection. Own publication. 68-72.

Simpson, B. W. (1984): Gem Trails of Arizona. Gem Guides Book Co., Pico Rivera. 24-25.

Zenz, J. (2005): Achate / Agates. Bode Verlag, Haltern am See. 481.

Zenz, J. (2012): Achat- und Jaspisfundstellen in Arizona. Mineralien Welt 1/2012. 86-96.